

八层（内层1oz/外层1oz/单PP）

<p style="text-align: center;">八层板压合结构图(芯板1.0 OZ)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>铜厚:</td><td>H</td><td>0.0175</td><td>mm</td></tr> <tr><td>PP胶:</td><td>2116</td><td>0.11</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.20</td><td>mm</td></tr> <tr><td>PP胶:</td><td>2116RC56</td><td>0.075</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.20</td><td>mm</td></tr> <tr><td>PP胶:</td><td>2116RC56</td><td>0.075</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.20</td><td>mm</td></tr> <tr><td>PP胶:</td><td>2116</td><td>0.11</td><td>mm</td></tr> <tr><td>铜厚:</td><td>H</td><td>0.0175</td><td>mm</td></tr> <tr><td>压合厚度:</td><td style="color: red;">1.11</td><td>±0.10</td><td>mm</td></tr> <tr><td>成品厚度:</td><td>1.20</td><td>±0.10</td><td>mm</td></tr> </table>	铜厚:	H	0.0175	mm	PP胶:	2116	0.11	mm	芯板:	含铜	0.20	mm	PP胶:	2116RC56	0.075	mm	芯板:	含铜	0.20	mm	PP胶:	2116RC56	0.075	mm	芯板:	含铜	0.20	mm	PP胶:	2116	0.11	mm	铜厚:	H	0.0175	mm	压合厚度:	1.11	±0.10	mm	成品厚度:	1.20	±0.10	mm
铜厚:	H	0.0175	mm																																										
PP胶:	2116	0.11	mm																																										
芯板:	含铜	0.20	mm																																										
PP胶:	2116RC56	0.075	mm																																										
芯板:	含铜	0.20	mm																																										
PP胶:	2116RC56	0.075	mm																																										
芯板:	含铜	0.20	mm																																										
PP胶:	2116	0.11	mm																																										
铜厚:	H	0.0175	mm																																										
压合厚度:	1.11	±0.10	mm																																										
成品厚度:	1.20	±0.10	mm																																										

<p style="text-align: center;">八层板压合结构图(芯板1.0 OZ)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>铜厚:</td><td>H</td><td>0.0175</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628</td><td>0.185</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.25</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628RC46</td><td>0.20</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.25</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628RC46</td><td>0.20</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.25</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628RC46</td><td>0.20</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.25</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628</td><td>0.185</td><td>mm</td></tr> <tr><td>铜厚:</td><td>H</td><td>0.0175</td><td>mm</td></tr> <tr><td>压合厚度:</td><td style="color: red;">1.56</td><td>±0.10</td><td>mm</td></tr> <tr><td>成品厚度:</td><td>1.60</td><td>±0.10</td><td>mm</td></tr> </table>	铜厚:	H	0.0175	mm	PP胶:	7628	0.185	mm	芯板:	含铜	0.25	mm	PP胶:	7628RC46	0.20	mm	芯板:	含铜	0.25	mm	PP胶:	7628RC46	0.20	mm	芯板:	含铜	0.25	mm	PP胶:	7628RC46	0.20	mm	芯板:	含铜	0.25	mm	PP胶:	7628	0.185	mm	铜厚:	H	0.0175	mm	压合厚度:	1.56	±0.10	mm	成品厚度:	1.60	±0.10	mm
铜厚:	H	0.0175	mm																																																		
PP胶:	7628	0.185	mm																																																		
芯板:	含铜	0.25	mm																																																		
PP胶:	7628RC46	0.20	mm																																																		
芯板:	含铜	0.25	mm																																																		
PP胶:	7628RC46	0.20	mm																																																		
芯板:	含铜	0.25	mm																																																		
PP胶:	7628RC46	0.20	mm																																																		
芯板:	含铜	0.25	mm																																																		
PP胶:	7628	0.185	mm																																																		
铜厚:	H	0.0175	mm																																																		
压合厚度:	1.56	±0.10	mm																																																		
成品厚度:	1.60	±0.10	mm																																																		

<p style="text-align: center;">八层板压合结构图(芯板1.0 OZ)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>铜厚:</td><td>H</td><td>0.0175</td><td>mm</td></tr> <tr><td>PP胶:</td><td>2116</td><td>0.125</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.40</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628RC46</td><td>0.20</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.40</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628RC46</td><td>0.20</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.40</td><td>mm</td></tr> <tr><td>PP胶:</td><td>2116</td><td>0.125</td><td>mm</td></tr> <tr><td>铜厚:</td><td>H</td><td>0.0175</td><td>mm</td></tr> <tr><td>压合厚度:</td><td style="color: red;">1.89</td><td>±0.10</td><td>mm</td></tr> <tr><td>成品厚度:</td><td>2.00</td><td>±0.10</td><td>mm</td></tr> </table>	铜厚:	H	0.0175	mm	PP胶:	2116	0.125	mm	芯板:	含铜	0.40	mm	PP胶:	7628RC46	0.20	mm	芯板:	含铜	0.40	mm	PP胶:	7628RC46	0.20	mm	芯板:	含铜	0.40	mm	PP胶:	2116	0.125	mm	铜厚:	H	0.0175	mm	压合厚度:	1.89	±0.10	mm	成品厚度:	2.00	±0.10	mm
铜厚:	H	0.0175	mm																																										
PP胶:	2116	0.125	mm																																										
芯板:	含铜	0.40	mm																																										
PP胶:	7628RC46	0.20	mm																																										
芯板:	含铜	0.40	mm																																										
PP胶:	7628RC46	0.20	mm																																										
芯板:	含铜	0.40	mm																																										
PP胶:	2116	0.125	mm																																										
铜厚:	H	0.0175	mm																																										
压合厚度:	1.89	±0.10	mm																																										
成品厚度:	2.00	±0.10	mm																																										

<p style="text-align: center;">八层板压合结构图(芯板1.0 OZ)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>铜厚:</td><td>H</td><td>0.0175</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628</td><td>0.185</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.50</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628RC46</td><td>0.20</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.50</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628RC46</td><td>0.20</td><td>mm</td></tr> <tr><td>芯板:</td><td>含铜</td><td>0.50</td><td>mm</td></tr> <tr><td>PP胶:</td><td>7628</td><td>0.185</td><td>mm</td></tr> <tr><td>铜厚:</td><td>H</td><td>0.0175</td><td>mm</td></tr> <tr><td>压合厚度:</td><td style="color: red;">2.31</td><td>±0.10</td><td>mm</td></tr> <tr><td>成品厚度:</td><td>2.40</td><td>±0.10</td><td>mm</td></tr> </table>	铜厚:	H	0.0175	mm	PP胶:	7628	0.185	mm	芯板:	含铜	0.50	mm	PP胶:	7628RC46	0.20	mm	芯板:	含铜	0.50	mm	PP胶:	7628RC46	0.20	mm	芯板:	含铜	0.50	mm	PP胶:	7628	0.185	mm	铜厚:	H	0.0175	mm	压合厚度:	2.31	±0.10	mm	成品厚度:	2.40	±0.10	mm
铜厚:	H	0.0175	mm																																										
PP胶:	7628	0.185	mm																																										
芯板:	含铜	0.50	mm																																										
PP胶:	7628RC46	0.20	mm																																										
芯板:	含铜	0.50	mm																																										
PP胶:	7628RC46	0.20	mm																																										
芯板:	含铜	0.50	mm																																										
PP胶:	7628	0.185	mm																																										
铜厚:	H	0.0175	mm																																										
压合厚度:	2.31	±0.10	mm																																										
成品厚度:	2.40	±0.10	mm																																										