

六层（铜厚：内层0.5oz/外层1oz）

| | | | | |
|--|-------|------|--------|----|
| <p style="text-align: center;">0.8mm 六层板压合结构图</p> | 铜厚: | H | 0.0175 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 芯板: | 含铜 | 0.15 | mm |
| | PP胶: | 2116 | 0.11 | mm |
| | 芯板: | 含铜 | 0.15 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 铜厚: | H | 0.0175 | mm |
| | 压合厚度: | 0.75 | ±0.10 | mm |
| | 成品厚度: | 0.85 | ±0.10 | mm |

| | | | | |
|--|-------|------|--------|----|
| <p style="text-align: center;">1.0mm 六层板压合结构图</p> | 铜厚: | H | 0.0175 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 芯板: | 含铜 | 0.25 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 芯板: | 含铜 | 0.25 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 铜厚: | H | 0.0175 | mm |
| | 压合厚度: | 0.95 | ±0.10 | mm |
| | 成品厚度: | 1.05 | ±0.10 | mm |

| | | | | |
|--|-------|------|--------|----|
| <p style="text-align: center;">1.2mm 六层板压合结构图</p> | 铜厚: | H | 0.0175 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 芯板: | 含铜 | 0.30 | mm |
| | PP胶: | 7628 | 0.22 | mm |
| | 芯板: | 含铜 | 0.30 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 铜厚: | H | 0.0175 | mm |
| | 压合厚度: | 1.10 | ±0.10 | mm |
| | 成品厚度: | 1.20 | ±0.10 | mm |

| | | | | |
|--|-------|------|--------|----|
| <p style="text-align: center;">1.6mm 六层板压合结构图</p> | 铜厚: | H | 0.0175 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 芯板: | 含铜 | 0.50 | mm |
| | PP胶: | 7628 | 0.22 | mm |
| | 芯板: | 含铜 | 0.50 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 铜厚: | H | 0.0175 | mm |
| | 压合厚度: | 1.50 | ±0.13 | mm |
| | 成品厚度: | 1.60 | ±0.13 | mm |

| | | | | |
|--|-------|------|--------|----|
| <p style="text-align: center;">2.0mm 六层板压合结构图</p> | 铜厚: | H | 0.0175 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 芯板: | 含铜 | 0.70 | mm |
| | PP胶: | 7628 | 0.22 | mm |
| | 芯板: | 含铜 | 0.70 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 铜厚: | H | 0.0175 | mm |
| | 压合厚度: | 1.90 | ±0.20 | mm |
| | 成品厚度: | 2.00 | ±0.20 | mm |

| | | | | |
|--|-------|------|--------|----|
| <p style="text-align: center;">2.4mm 六层板压合结构图</p> | 铜厚: | H | 0.0175 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 芯板: | 含铜 | 0.90 | mm |
| | PP胶: | 7628 | 0.22 | mm |
| | 芯板: | 含铜 | 0.90 | mm |
| | PP胶: | 2116 | 0.125 | mm |
| | 铜厚: | H | 0.0175 | mm |
| | 压合厚度: | 2.27 | ±0.20 | mm |
| | 成品厚度: | 2.40 | ±0.20 | mm |